
US/CA/UK/FR/ES/PT/DE/IT/RO

IN260600346V01

823-096V70



EN_ **IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.**

FR_ **IMPORTANT:A LIRE ATTENTIVEMENT ET À CONSERVER POUR CONSULTATION ULTÉRIEURE.**

ES_ **IMPORTANTE, LEA Y GUARDE PARA FUTURAS REFERENCIAS.**

PT_ **IMPORTANTE: LEIA ATENTAMENTE E GUARDE PARA CONSULTA FUTURA.**

DE_ **WICHTIG! SORGFÄLTIG LESEN UND FÜR SPÄTER NACHSCHLAGEN AUFBEWAHREN.**

IT _ **IMPORTANTE! CONSERVARE IL PRESENTE MANUALE PER FUTURO RIFERIMENTO E LEGGERLO ATTENTAMENTE.**

RO_ **IMPORTANT: CITIȚI CU ATENȚIE ȘI PĂSTRAȚI PENTRU CONSULTARE VIITOARE.**

User manual

Catalog

1 Safety precautions

2 Product introduction
Function description of control panel

3 Before use
Removal and installation method of side cover plate
Place of air purifier
Install the filter
Understand the role of filters
Integrating multiple functions into one
Unique triple purification technology

4 Usage method
Function description of control panel
Turn on the purifier
Indicator light color of air quality
Air volume setting
Sleep function
Child lock function
Timer function

5 Maintenance and cleaning methods
Clean air purifier
Replace the filter screen
Operation steps
When idle for a long time
Reference time for replacing filter screen

6 Troubleshooting
Warranty and service
Ordering parts or accessories
Parts

7 Other information
Recycling

User manual
1 Safety precautions

In order to avoid possible injury or financial loss to you or others, please pay attention to the following safety precautions.
If the power cord is damaged, in order to avoid danger, it must be repaired by the professional personnel of the manufacturer, its maintenance department or similar departments.

⚠ Warning


Wet hand forbidden!

Do not touch the power plug with wet hands.
Otherwise, electric shock may be caused.


Unplug!

Before cleaning the electrical apparatus, make sure that the power supply has been disconnected.
Before cleaning the electrical apparatus, make sure that the power supply has been disconnected.


Forbidden!

It is forbidden to use the specified value of power supply or linked equipment. Only 220-240V~ power supply can be used.
The use of universal socket or equipment beyond the specified value may cause overheating and fire accidents.



Please plug the plug into the power socket before starting the air purifier.
If the plug is not fully inserted into the socket, it may cause electric shock and overheating, and even cause fire accident.
- Do not use damaged plugs or loose power outlets.


Forbidden!

Do not damage the power cord and socket.
When using the machine, do not bind the wires. Using the damaged wires may lead to electric shock, short circuit or fire accident.
- It is forbidden to cut, refit, over twist, twist, poke and pull wires, or place heavy objects on wires or sockets.



Please clean the power plug regularly.
If dust accumulates on the power plug, the insulation part of the plug may be damaged, resulting in a fire accident.
- Pull out the power plug and clean it with a dry cloth (do not use a wet cloth!).
- If the appliance is not used for a long time, the power plug should be removed.


Taking apart is forbidden!

It is forbidden to disassemble or refit the air purifier without authorization.
Unauthorized disassembly or modification of electrical appliances may lead to electric shock, failure or fire accident.


Forbidden!

It is forbidden to place rods or other metal objects at the air outlet or opening.
Otherwise, it may touch the internal parts and cause electric shock or damage.

User manual

Warning

- If you need to move the product, please disconnect the power of the product first.
- Be sure to move the product slowly.
- Do not move the product by pulling the power cord.
- Do not move the machine while the product is in operation. If you need to move the machine, please turnoff the power.

Warning

In case of any of the following conditions, please turnoff the power of the machine immediately.

- Ifa switch does not work.
- If the circuit breaker works or the fuse burns out.
- If the power cord or plug is abnormally hot.
- If you find a burnt odor or abnormal sound or vibration.
- Ifthereis any other abnormal phenomenon or fault.

Warning



Forbidden!

It is forbidden to use benzene or thinner and other solvents to clean the air purifier, so as to avoid contact with insecticide sprays.

Otherwise, the air purifier may break and cause damage, even short circuit, resulting in electric shock or fire accident.



Pull out the power plug, should hold the plug, should not pull the wire.

If the wire is pulled directly, it may cause short circuit, or damage the wire, leading to fire or electric shock.



Forbidden!

It is forbidden to use this air purifier in places with greasy particles.

For example, in the kitchen, the air purifier may break and cause damage.

- The air purifier shall not be used as ventilation or air extraction equipment.



Wetting forbidden!

It is forbidden to use this air purifier in places with high temperature, humidity or wet body, such as bathroom.

The air purifier may leak electricity and cause electric shock or fire accident.



Forbidden!

It is forbidden to use the air purifier in the room with fumigation insecticides.

Chemical residues may accumulate in the unit and then be released from the air outlet, thus endangering health.

- After using insecticide, the room should be thoroughly ventilated before using the air purifier.



Keep away from flame!

Do not let volatile substances or combustible materials, such as tobacco or sparks, float into the aircraft.

Otherwise, fire accidents may occur.




Wetting forbidden!

Do not wet the fuselage.

Otherwise, electric shock and fire accidentsmay occur due to short circuit.


User manual

2 Product introduction



If there is any difference between the product picture and the real object, the real object shall prevail.

Function description of control panel




User manual

Removal and installation method of rear cover plate

1 Removal method of front cover plate
Open the front cover as directed

2 Installation method of front cover plate
Lift the front cover up and into place




Place of air purifier
In order to achieve good air circulation effect in your room, make sure that the air inlet and outlet of the machine are not less than 20 cm away from the obstacles. Please use at least lm away from TV, radio and other electrical appliances.

Please do not plug the power plug into the same socket as the power plug of TV, radio and other electrical appliances.

●If you use it in the same place for a long time, it will contaminate the wall around the host.

●Do not obstruct the air inlet and outlet to ensure adequate ventilation and maximum efficiency of the machine.



User manual

Install the filter

Information

This air purifier is equipped with a filter screen inside, but before using the product, be sure to remove the packaging of the filter screen. Please follow the instructions below to remove the filter and its package, and then put it back into the purifier.


Warning

- Ensure that the power plug is installed, repaired and transportedwhen the power supply is disconnected.
- Do not operate the machine without filter.
- Remove the plastic packaging of the filter screen before use.


Operation steps

When using the air purifier for the first time, please follow the steps below to install the filter correctly.


1Remove all packaging materials and place the machine on a dry, stable, level surface.




2 Lift the front shell up and in a proper position




3 Remove the filter screen inside the purifier.




4 Remove the packing material from the filter screen.



5 Put the filter back into the purifier




6 Press the indicator key to indicate to cover the front cover and press it tightly




Tips
When installing the bottom cover, please install it carefully to prevent hand clamping.

Understand the role of filters



Polluted air entering

1




The polluted air enters the filter screen through the outside and outputs clean air from the middle up

2

The picture is for reference only. If there is any difference between the real object and the picture, the real object shall prevail. Our company reserves the right to explain.

Integrating multiple functions into one




■Formaldehyde removal
■4 speed switch
■Timer setting
■Prompt to replace the filter screen
■It is equipped with manual, sleep and child lock modes


Unique triple purification technology



The primary filter screen	Intercepts hair, fiber, large particles, dander, etc;
HEPA	Efficient removal of particulate matter such as filter, smoke and pollen.
High quality modified activated carbon	High quality activated carbon, modified by special proprietary technology, can effectively purify formaldehyde and other gas pollutants.


User manual
4 Usage method
Function description of control panel





1 Timer button
2 Sleep button
3 Power switch button
4 Child lock button
5 Wind speed button
6 Timer 2 hours indicator
7 Timer 4 hours indicator
8 Timer 6 hours indicator
9 Timer 8 hours indicator
10 Low gear wind speed indicator
11 Medium gear wind speed indicator
12 High gear wind speed indicator
13 Automatic gear wind speed indicator


Turn on the purifier



After the power is turned on, all white indicators are lit, and the indicators are lit unchanged after 1 second. At the same time, the air quality indicators are lit in turn with red, green, and blue lights, each for 1 second, and then all the lights are turned off, and the machine enters standby state.

Tips
To turn off the product, press the on key again, turn off the product, and then unplug the product

Indicator light color of air quality



When the machine's wind speed gear is running in automatic gear, the wind speed is automatically selected according to the air quality sensor, which senses the air quality; excellent-1 gear (green display),good-2 gear (orange display), poor-3 gear(red display).

Indicator light color of air quality


	0~75ug/m^3	Excellent
	76~150ug/m^3	Good
	151-999ug/m^3	Poor

Air volume setting




Click the wind speed button, and the wind speed gears will run in cycles of automatic gear, first gear, second gear, and third gear respectively.

Sleep function




Press the sleep button, after entering the sleep mode, the sleep indicator light will turn on for 10 seconds and then turnoff, and the wind speed will run in accordance with the sleep gear. In sleep mode, press any key to exit sleep mode, and the wind speed gear will return to its original working state. Press the switch button to enter the standby state.

Sleep function



Press and hold the child lock button for 3 seconds, the indicator light is on, and the child lock function is turned on; press and hold the child lock button again for 3 seconds, the indicator light is off, and the child lock function is turned off.

Timer setting



Click the timing button to set the automatic shutdown time of the machine in this cycle, 2 hours, 4 hours, 6 hours,8 hours, and O hours.

Reset function



When the machine is working, it makes 5rapid noises continuously, and at the same time, the filter reset indicator flashes red to remind you that the filter needs to be replaced. After replacing the filter, press and hold the sleep/filter reset button for3 seconds, and the filter indicator light will go off., The machine filter was reset successfully.

User manual

5Maintenance and cleaning methods

Be sure to unplug the power plug before cleaning the product.

Do not immerse the product in water or any other liquid.

Do not use abrasives. Use corrosive or flammable cleaning agents (such as bleach or alcohol) to clean any parts of the product.

The composite filter is not washable.



Clean air purifier

Clean the inside and outside of the purifier body regularly to prevent dust accumulation.

1. Use a soft dry cloth to wipe the dust off the purifier.
2. Clean the air inlet and outlet with a soft dry cloth.

User manual

Replace the filter screen

Information

When the reset button light flashes, remind the user to replace the filter



Reset

Attention

When the product is working, the indicator light for replacing the filter will flash, and the buzzer will sound "Ding, Ding"alarm to remind the user to replace the filter, but the purifier can still work normally.

Attention

Please shut down and unplug the power plug before replacing the filter. After replacing the filter, if the replacement indicators till flickers after starting the machine, please press the reset key for 3 seconds to reset the filter. The replacement indicator turns off and the filter reset is completed.

Tips

Put the plastic filter into the machine before disassembly


Operation steps

1The machine reminds that the filter needs to be replaced




Reset


2 Turn off the power, stop the purifier, and then unplug the power plug.




3 Press the bottom cover with your fingers, screw it out according to the unlocking direction, and take out the bottom cover upward at the same time.




4 Remove the filter inside the purifier and replace it.




5 Remove the packing material from the new filter screen




6 Put the filter back into the purifier.




7 Put in the screen again and press the prompt key to cover the front cover.



8 After replacing the filter, plug in the power plug and press the reset key for 3 seconds to reset the machine.





User manual

When idle for a long time

Pull off the power plug. (because standby mode also consumes power.) Dry the interior thoroughly.

Store the machine in a dry and ventilated place. (keeping the product flat or upside down may lead to product failure)

Reference time for replacing filter screen

The filter screen of this product is primary filter + HEPA + activated carbon filter. The filter screen cannot be washed and is damaged. Please do not press it hard. The general service life is six months

The above time is only a reference time, users can change it in advance according to the actual use environment.

Attention

Please shut down and cut off the power plug before replacing the filter

6 Troubleshooting

This chapter lists the common problems that may be encountered when using this product. If you are unable to solve the problem according to the information below, please contact the customer service center or the dealer.

State	Possible causes	Possible solutions
The machine can't be started	The power plug is not in place	Pull out the power plug and plug in the power again
	The power plug or wire is damaged	Contact customer service center or dealer
Fan not working	The machine is not on	Plugin the power and turn on the machine again
	The motor is damaged	Contact customer service center or dealer
	Motor loose or foreign particles inside the machine	Contact customer service center or dealer
Poor purification performance or no optimal purification capacity	The filter was not replaced	Replace a new set of filter
	The air inlet or outlet of the machine is blocked	Contact customer service center or dealer
	The plastic package of the filter is not removed	Remove the plastic package of the filter screen for reuse
	There is no proper clearance or space around the machine to ventilate it	Make sure that the air inlet and outlet of the machine are not less than 20cm away from the obstacles
	There is no filter in the machine	Make sure that the filters are placed in the machine in the order indicated
	More than expected room coverage	Recheck whether the area of the used room is consistent with the specified area of the machine

User manual
Warranty and service
If you need information or have any questions, you can contact our customer service center or distributor


7 Other information

Recycling



When discarding products, please do not stack them with general domestic waste. Please understand the local regulations on classifying mobile phone electronic or electrical products
Proper disposal of the product helps to avoid potential negative effects on the environment and human health

Ordering parts or accessories
If you need to replace parts or purchase additional parts, please contact your customer service center or dealer
Choose parts



Pre-filter + HEPA + activated carbon composite filter screen

US

If you have any questions, please contact our customer care center, Our contact details are below:

001-877-644-9366

customerservice@aosom.com

Imported by Aosom LLC
7777 Center Ave. Suite 430
Huntington Beach, CA 92647-9998 USA
MADE IN CHINA

CA

If you have any questions, please contact our customer care center, Our contact details are below:

416-792-6088

customerservice@aosom.ca

Imported by Aosom Canada Inc.
Unit 33-1 Sparks Avenue, North York, Ontario, Canada
M2H 2W1
MADE IN CHINA

Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle,Nos coordonnées sont les suivantes:

416-792-6088

customerservice@aosom.ca

Importé par Aosom Canada Inc.
Unité 33-1 Sparks Avenue, North York, Ontario, Canada M2H 2W1
Fabriqué en Chine

ES

Si tiene alguna pregunta, comuníquese con nuestro Centro de Atención al Cliente,Nuestros datos de contacto son los siguientes:

0034-931294512

atencioncliente@aosom.es

IMPORTADOR/Fabricante/REP:
SPANISH AOSOM, S.L.
C/ROC GROS,Nº15.08550, ELS HOSTALETS DE BALENYÀ, SPAIN.
B66295775
HECHO EN CHINA

Se tiver alguma dúvida, por favor contacte o nosso Centro de Atendimento ao Cliente,Os nossos dados de contacto são os seguintes:

0034-931294512

info@aosom.pt.

UK

If you have any questions, please contact our customer care center, Our contact details are below:

0044-800-240-4004

enquiries@mhstar.co.uk

IMPORTER ADDRESS:
MH STAR UK LTD
1 Northampton Cross Logistics Park
Northampton Cross Road
Northampton
Nn4 9FH
Tel: 0800 240 4050
enquiries@mhstar.co.uk
MADE IN CHINA

DE

Wenn Sie Fragen haben, wenden Sie sich bitte an unser Kundendienstzentrum,Unsere Kontaktdaten stehen unten:

0049-0(40)-87408465

service@aosom.de

ADRESSE DES IMPORTEURE/Hersteller/REP:
MH Handel GmbH
Wendenstraße 309
D-20537 Hamburg
Germany
IN CHINA HERGESTELLT

IT

In caso di dubbio, si prega di contattare il nostro centro assistenza clienti,I nostri dettagli di contatto sono di seguito:

0039-0249471447

clienti@aosom.it

IMPORTATO DA/Produttore/REP:
AOSOM Italy srl
Centro Direzionale Milanofiori
Strada 1 Palazzo F1
20057 Assago (MI)
P.I.: 08567220960
FATTO IN CINA

RO

Importator/Producător/REP:
Aosom Romania SRL
Str. Barbu Mumuleanu, nr. 30-32
Bucuresti, Sector 2
Tel: +40 312294730
clienti@aosom.ro
Fabricat in China

FR

Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle,Nos coordonnées sont les suivantes:

0033-1-84166106

aosom@mhfrance.fr

Importé par/Fabricant/REP:
MH FRANCE
2 Rue Maurice Hartmann
92130 Issy Les Moulineaux
France
FABRIQUÉ EN CHINE



